

Zoning Interface: Districts and Forms for Sioux Falls Zoning Ordinance

For more information about each form, click on the associated link.

	Primary Forms	Other Allowable Forms
Single-Family Residential Districts		
RR Single-Family Residential—Rural	DD1	UT1 UT2
RS Single-Family Residential—Suburban	DD2	NF1 UT1
RT-1 Single-Family Residential—Traditional	DD3	NF1 UT1
RCD Residential Cluster Development PUD	DD7	NF1 UT1
RHP Single-Family Residential—Historic Preservation	DD4	
MH Manufactured Residential Housing	DD6	DD2 DD5 NF1 UT1
Twin and Townhome Residential Districts		
RD-1 Twin Home/Duplex Residential—Suburban	AD1	DD2 AD2 NF1 UT1
RD-2 Townhome Residential—Suburban	AD3	DD2 AD1 AD2 NF1 NF2 UT1
RT-2 Townhome Residential—Traditional	AD4	DD3 NF1 NF2 UT1
Apartment Residential Districts		
RA-1 Apartment Residential—Low Density	MD1	DD2 AD1 AD2 AD3 NF1 NF2 UT1 UT2
RA-2 Apartment Residential—Moderate Density	MD2	AD1 AD2 AD3 MD1 NF1 NF2 UT1 UT2
RA-3 Apartment Residential—High Density	MD3	MD1 MD2 NF1 NF2 UT1 UT2
Office/Institutional Districts		
O Office	BCF1	NF1 NF2 UT1 UT2 RE1
S-1 General Institutional	BCF2 BCF3	NF1 NF2 UT1 UT2 BCF1 RE1
S-2 Institutional Campus PUD	BCF3	AD1 AD2 AD3 AD4 MD1 MD2 NF1 NF2 UT1 UT2
		BCF1 BCF2 RE1 RE2 RE3
LW Live-Work	BCF1 MD2	AD1 AD2 AD3 MD1 NF1 NF2 UT1 UT2 RE1
Commercial Districts		
C-1 Commercial—Pedestrian-Oriented	RE1	UT1 UT2
C-2 Commercial—Neighborhood and Streetcar	RE2 RE3	UT1 UT2
C-3 Commercial—Community	RE4	UT1 UT2 RE3
C-4 Commercial—Regional	RE5	UT1 UT2 RE3 RE4
Industrial Districts		
I-1 Light Industrial	WM1	UT1 UT2 BCF1 BCF2 BCF3 RE3
I-2 Heavy Industrial	WM2 WM3	UT1 UT2 BCF1 BCF2 BCF3 RE1 WM1
AP Airport	WM4	UT1 UT2
Open Space Districts		
CN Conservation	OPEN1	UT1 UT2 BCF4
REC Recreation	OPEN2	UT1 UT2 BCF4
AG Agriculture	OPEN3	UT1 UT2 WM3
Mixed-Use Districts		
Village PUD	RE6	UT1 UT2
Downtown PUD	RE6	UT1 UT2
Pedestrian-Oriented PUD	AD2 AD3 AD4 MD1 MD2 MD3	NF1 NF2 BCF1 UT1 UT2 RE2 RE3 RE4 RE5

No primary or secondary forms—a mix of forms are integral within a initial development plan.

Type of Forms

Detached Dwellings	DD	Primary form in Single-Family Districts
Attached Dwellings	AD	Primary form in Twin and Townhome Districts
Multiple Dwellings	MD	Primary form in Apartment Residential Districts
Neighborhood Facilities	NF	Found in Residential, Commercial, Office/Institutional Districts
Business and Community Facilities	BCF	Primary form in Office/Institutional Districts—also Industrial Districts
Retail Employment	RE	Primary form in Commercial Districts
Warehousing and Manufacturing	WM	Primary form in Industrial Districts
Open Space	OPEN	Primary form in Open Space Districts
Utilities	UT	UT1 found in all districts; UT2 found in all districts except single-family, twin/townhome, and Airport

For additional information see below.

Form Descriptions

Zoning Interface: Uses and Forms

Form Descriptions

DD1—Detached Dwelling—Rural	Single-Family 1 acre lots
DD2—Detached Dwelling—Suburban	Single-Family 25-foot front yard
DD3—Detached Dwelling—Traditional	Single-Family 10-foot front yard
DD4—Detached Dwelling—Historic Preservation	Single-Family maintain existing structure
DD5—Detached Dwelling—Older Manufactured Home	Manufactured Homes in Pre-1970 Existing Parks
DD6—Detached Dwelling—Newer Manufactured Home	Manufactured Homes in Newer Parks
DD7—Detached Dwelling—High Density	Single-Family 5-foot front yd/0 foot side yd
AD1—Attached Dwelling—Suburban Twin Home/Duplex	Twin Home/Duplex—2 units—25-foot front yard
AD2—Attached Dwelling—Suburban 4-unit Townhome	Townhome—4 units—25-foot front yard
AD3—Attached Dwelling—Suburban 8-unit Townhome	Townhome—8 units—25-foot front yard
AD4—Attached Dwelling—Traditional 8-unit Townhome	Townhome—8 units—10-foot front yard
MD1—Multiple Dwelling—Small	Multi-Family—24 units/2 stories
MD2—Multiple Dwelling—Medium	Multi-Family—48 units/3 stories
MD3—Multiple Dwelling—Large	Multi-Family—unlimited
NF1—Neighborhood Facilities	Elementary Schools, Places of Worship, Public Service Facility, Recreation Facility—Subdivision
NF2—Neighborhood Residential Facilities	Community Residential Home, Assisted Living Center, Nursing Home
UT1—Basic Utilities	Neighborhood Utilities, Electrical Substation, Antenna Support Structure
UT2—Tower Utilities	Telecommunications Tower, Broadcast Tower, Wind Energy Tower
OPEN1—Conservation Open Space	Forest Preserve, Tree Farm, Golf Course, Cemeteries, Pet Cemetery, Natural Drainage Facility, Nature Preserve, Community Garden
OPEN2—Recreation Open Space	Public Parks and Recreation Areas, Archery Range
OPEN3—Agriculture Open Space	Agriculture, Single-Family—Farm
BCF1—Business and Community Facilities—Small	1 story 15,000 sq ft/2 stories 30,000 sq ft—Office, Colleges, Public Service Facility, Residential-compatible storage, Multi-Family Above First Floor, Live-Work, Private Rec & Cultural Facility, Funeral home, Mortuary, Middle/High School, Day Care Center, Places of Worship
BCF2—Business and Community Facilities—Community Service	1 story 15,000 sq ft/2 stories 30,000 sq ft—Halfway House, Temporary Emergency Shelter, Human Service Facility, Detention
BCF3—Business and Community Facilities—Large	No Limit on size—Office, Hospital, College, Research Facility, Private Rec. & Cultural Fac., Places of Worship, Public Service Facility
BCF4—Business and Communities—Open Space	15,000 sq ft 1 story/30,000 sq ft 2 story—Country Club, Public Recreation & Cultural Facility, Fairgrounds
RE1—Limited Retail Employment	4,000 sq ft—Limited Retail and Services, Office, Private Recreation and Cultural Facility, Places of Worship
RE2—Streetcar Retail Employment	Buildings Oriented to Street; 25,000 sq ft—General Retail and Services, Office, Places of Worship, Residential above First floor, Automobile Retail and Services, On-Sale Alcohol, Public Service Facility, Private Recreation, Restaurant with Accessory Alcohol, Off-Sale Alcohol, Funeral Home, Mortuary, Kennel, Day Care Center
RE3—Parking-Oriented Retail Employment	25,000 sq ft and parking lot oriented to street—General Retail and Services, Office, Places of Worship, Residential above First floor, Automobile Retail and Services, On-Sale Alcohol, Public Service Facility, Private Recreation, Restaurant with Accessory Alcohol, Off-Sale Alcohol, Funeral Home, Mortuary, Kennel, Day Care Center, Adult Uses
RE4—Community Retail Employment	75,000 sq ft—Same uses listed as RE2
RE5—Regional Retail Employment	Unlimited size—Same uses listed as RE2
RE6—Village Mixed-Use	Unlimited size/0 foot setbacks—General Retail and Services, Office, Private Rec & Cultural, Restaurant with Accessory Alcohol, On-Sale and Off-Sale Alcohol, Adult Use, Funeral Home & Mortuary, Day Care Center, Residential (core vs transition—see below), Places of Worship, College, Assisted Living, Public Service, Temp/Emergency Shelter, Human Service Center
WM1—Warehousing and Manufacturing—Light	Light Manufacturing, Process, and Assembly, Light Warehouse and Freight Movement, Crematory
WM2—Warehousing and Manufacturing—Heavy	Heavy Manufacturing, Process, and Assembly, Heavy Warehouse and Freight Movement
WM3—Warehousing and Manufacturing—Mining and Waste	Sanitary Landfill, Water & Wastewater Plant, Quarry Mining & Exploration
WM4—Warehousing and Manufacturing—Airport Facilities	Airport Facilities, Air Passenger Terminal, Air National Guard

Zoning Interface: Uses and Forms for the Sioux Falls Zoning Ordinance

For more information about each form, click on the associated link.

Single-Family	DD1	DD2	DD3	DD4	DD7
---------------	-----	-----	-----	-----	-----

Manufactured Home	DD5	DD6
-------------------	-----	-----

Townhouse—2	AD1	AD4
Townhouse—3 to 4 Units	AD2	
Townhouse—5 to 8 Units	AD3	AD4
Dwelling Converted Single Family 2 to 8 Units	AD4	

Multifamily	MD1	MD2	MD3
-------------	-----	-----	-----

Elementary Schools	NF1	BCF1	BCF3						
Place of Worship	NF1	BCF1	BCF3	RE1	RE2	RE3	RE4	RE5	RE6
Public Service Facility	NF1	BCF1	BCF3	RE2	RE3	RE4	RE5	RE6	
Office	BCF1	BCF3	RE1	RE2	RE3	RE4	RE5	RE6	
Colleges, University, or Post High School	BCF1	BCF3	RE2	RE3	RE4	RE5	RE6		
Dwellings Above the First Story	BCF1	BCF3	RE2	RE3	RE4	RE5	RE6		
Recreation Facility, Private	BCF1	BCF3	RE2	RE3	RE4	RE5	RE6		
Cultural Facility	BCF1	BCF3	RE2	RE3	RE4	RE5	RE6	OPEN2	
Funeral Establishment	BCF1	BCF3	RE2	RE3	RE4	RE5	RE6	OPEN1	
Mortuary	BCF1	BCF3	RE2	RE3	RE4	RE5	RE6	OPEN1	
Middle/High School	BCF1	BCF3							
Day Care Center	BCF1	RE2	RE3	RE4	RE5	RE6			

Neighborhood Park	NF1
Recreational Facility, Subdivision	NF1
Community Residential Home	NF2
Assisted Living	NF2
Nursing Home	NF2

Tree Farm/Nursery	OPEN1
Golf Course	OPEN2
Cemeteries	OPEN1
Pet Cemetery	OPEN1
Natural Drainage Facility	OPEN1
Nature Preserve	OPEN1
Public Parks	OPEN2
Public Recreation Facility	OPEN2
Archery Range	OPEN2
Agriculture	OPEN3
Detached Dwelling—Farm	OPEN3

Neighborhood Utilities	UT1
Electrical Substation	UT1
Antenna Support Structure	UT1
Community Garden	UT1
Telecommunications Tower	UT2
Broadcast Tower	UT2
Wind Energy Tower	UT2
Water Tower	UT2

Limited Retail and Services	RE1				
General Retail and Services	RE2	RE3	RE4	RE5	RE6
Commercial Parking Lot	RE6				
Motor Vehicle Retail and Services	RE2	RE3	RE4	RE5	
On-Sale Alcohol	RE2	RE3	RE4	RE5	RE6
Full-Service Restaurant	RE2	RE3	RE4	RE5	RE6
Off-Sale Alcohol	RE2	RE3	RE4	RE5	RE6
Kennel	RE2	RE3			
Adult Uses	RE3	RE4	RE5	RE6	
Self-Storage Facility	RE3	RE4	RE5	RE6	
Live-Work Units	RE6				
Residential On First Floor (Assisted Living)	RE6				

¹ Hotel/Motel also listed under General Retail and Services

Residential Compatible Self-Storage	BCF1	BCF3
Research Facility	BCF1	BCF3
Halfway House	BCF2	
Temporary Emergency Shelter Halfway House	BCF2	RE6
Human Service Facility	BCF2	RE6
Detention Facility	BCF2	
Hospital	BCF3	
Public Assembly Facility	BCF3	
Hotel/Motel ¹	BCF3	
Club House	BCF4	
Fairgrounds	BCF4	
Public Recreation and Cultural Facility	BCF4	

Light Manufacturing, Process, and Assembly	WM1	
Light Warehouse and Freight Movement	WM1	RE3
Campground	WM1	
Crematory	WM1	
Heavy Manufacturing, Process, and Assembly	WM2	
Heavy Warehouse and Freight Movement	WM2	
Sanitary Landfill and Water/Waste Water Plant	WM3	
Quarry, Mining, and Exploration of Minerals	WM3	
Airport Facilities	WM4	
Air Passenger Terminal	WM4	
Air National Guard	WM4	

Zoning Form: DD1—Detached Dwelling—Rural (160.060 et al.)

Allowed Zoning Districts (RR)

Principal Use: Permitted:
(160.062) Dwelling, Single-family Detached

Accessory Use: Permitted Special:
(160.063) Home Occupations • Family Day Care • Stable
Accessory Dwelling Units—Attached and Detached
Residential Accessory Buildings
Conditional Use:
Bed and Breakfast

Scroll to the top to find more information in the Zoning Interface.

Bulk Regulations

See 160.064 for all bulk regs

See 160.505 et al. "Additional Yard Regulations" for more info

Front Yard: 30 ft **1 front yard may be reduced to 25 ft on corner**


Side Yard: 7 ft

Rear Yard: 30 ft **15 ft on corner lots**

Lot Frontage: 125 ft **Same on corner lots**

Lot Density: 1 acre minimum

Height: 35 ft



Other Applicable Regulations (For complete information, see §§ 160.460 to 160.603)

Buffer Yard: 10 ft total adjacent to highways (160.488)

Signage: 1 sq ft wall sign (160.570 et al.)

Parking: 2 on-site spaces (160.550 et al.)

Landscaping: 90% of all required front yard setbacks and buffer yards (160.485 et al.)

Fence: 6 ft allowed except in front yard (160.480 et al.)

Alternative Site Plans: Allowed for buffer yard and landscaping alternatives (160.594 et al.)

Zoning Form: DD2—Detached Dwelling—Suburban (160.070 et al.)

Allowed Zoning Districts (RS, RD-1, RD-2, RA-1, MH)

Principal Use: Permitted:
(160.072) Dwelling, Single-family Detached

Accessory Use: Permitted Special:
(160.073) Home Occupations • Family Day Care
Accessory Dwelling Units—Detached
Residential Accessory Buildings
Conditional Use:
Bed and Breakfast


Scroll to the top to find more information in the Zoning Interface.

Bulk Regulations

See 160.074 for complete info

See 160.505 et al. "Additional Yard Regulations" for more info

Front Yard: 25 ft **Required front yard may be 20 ft on corners**
Side Yard: 5 ft
Rear Yard: 25 ft **15 ft on corner lots**
Lot Frontage: 50 ft **65 ft on corner lots**
Height: 35 ft
Lot Size: 5,000 sq ft minimum



Other Applicable Regulations (For complete information, see §§ 160.460 to 160.603)

Buffer Yard: 10 ft total adjacent to highways (160.488)

Signage: 1 sq ft wall sign (160.570 et al.)

Parking: 2 on-site spaces (160.550 et al.)

Landscaping: 90% of all required front yard setbacks and buffer yards (160.485 et al.)

Fence: 6 ft allowed except in front yard (160.480 et al.)

Alternative Site Plans: Allowed for buffer yard and landscaping alternatives (160.594 et al.)

Zoning Form: DD3—Detached Dwelling—Traditional (160.080 et al.)

Allowed Zoning Districts (RT-1, RT-2)

Principal Use: Permitted:
(160.082) Dwelling, Single-family Detached

Accessory Use: Permitted Special:
(160.083) Home Occupations • Family Day Care
Accessory Dwelling Units—Detached
Residential Accessory Buildings
Conditional Use:
Bed and Breakfast

Scroll to the top to find more information in the Zoning Interface.

Bulk Regulations

See 160.084 for complete info

See 160.505 et al. "Additional Yard Regulations" for more info


Front Yard: 20 ft **10 ft when front entry garage is recessed 10 more ft**
On a corner lot, the two front yards must equal 30 ft

Side Yard: 5 ft **One side yard may be reduced to 2 ft by Board of Adjustment** (160.672)

Rear Yard: 10 ft

Lot Frontage: 25 ft

Height: 35 ft



Back Driveway Example—Driveway must come off alley to garage.

Front Driveway Example—Must have recessed garage.

Other Applicable Regulations (For complete information, see §§ 160.460 to 160.603)

Buffer Yard: 10 ft total adjacent to highways (160.488)

Signage: 1 sq ft wall sign (160.570 et al.)

Parking: 2 on-site spaces (160.550 et al.)

Landscaping: 90% of all required front yard setbacks and buffer yards (160.485 et al.)

Fence: 6 ft allowed except in front yard (160.480 et al.)

Alternative Site Plans: For buffer yard and landscaping (160.594 et al.)



Zoning Form: DD4—Detached Dwelling—Historic Preservation (160.090 et al.)

Allowed Zoning Districts (RHP)

Principal Use: Permitted:
(160.092) Dwelling, Single-family Detached

Accessory Use: Permitted Special:
(160.093) Home Occupations • Family Day Care
Accessory Dwelling Units—Detached
Residential Accessory Buildings
Conditional Use:
Bed and Breakfast

Scroll to the top to find more information in the Zoning Interface.


Bulk Regulations

See 160.084 for complete info

See 160.505 et al. "Additional Yard Regulations" for more info

Before building into any yard beyond the existing footprint, the owner must first adhere to the standards of 160.090 et al.

- Front Yard:** 20 ft **10 ft when front entry garage is recessed 10 more ft**
On a corner lot, the two front yards must equal 30 ft
- Side Yard:** 5 ft **One side yard may be reduced to 2 ft in certain circumstances** (160.672)
- Rear Yard:** 10 ft
- Lot Frontage:** 25 ft
- Height:** 35 ft



Back Driveway Example—Driveway must come off alley to garage.

Front Driveway Example—Must have recessed garage.

Other Applicable Regulations (For complete information, see §§ 160.460 to 160.603)

Buffer Yard: 10 ft total adjacent to highways (160.488)

Signage: 1 sq ft wall sign (160.570 et al.)

Parking: 2 on-site spaces (160.550 et al.)

Landscaping: 90% of all required front yard setbacks and buffer yards (160.485 et al.)

Fence: 6 ft allowed except in front yard (160.480 et al.)

Alternative Site Plans: For buffer yard and landscaping (160.594 et al.)



Zoning Form: DD5—Detached Dwelling—Older Manufactured Home (160.100 et al.)

Allowed Zoning Districts (MH)

Principal Use: **Permitted:**
(160.102) Manufactured Home
Permitted Special:
Licensed Manufactured Home Park before 1970

Accessory Use: **Permitted Special:**
(160.103) Home Occupations • Family Day Care
Residential Accessory Building

Scroll to the top to find more information in the Zoning Interface.

Bulk Regulations

See 160.104 for complete bulk regulations


See 160.505 et al. "Additional Yard Regulations" for more info

All parks established before 1950 shall maintain yards the same as the park layout plan on file.

Distance Between: 16 ft except the distance between homes can be 10 ft when it meets the angles per the spacing chart below

Height: 35 ft

Yard Exceptions: (See Chart A below)*



*Older Manufactured Home Park Spacing Chart (Chart A)

Other Applicable Regulations (For complete information, see §§ 160.460 to 160.603)

Buffer Yard: 15 ft at edge of park adjacent to DD1, DD2, DD3, and DD4
10 ft at edge of park adjacent to highways (160.488)

Signage: 1 sq ft wall sign (160.570 et al.)

Parking: 2 on-site spaces (160.550 et al.)

Landscaping: 90% of all required front yard setbacks and buffer yards (160.485 et al.)

Fence: 6 ft allowed except in front yard (160.480 et al.)

Alternative Site Plans: Allowed for buffer yard and landscaping alternatives (160.594 et al.)

Zoning Form: DD6—Detached Dwelling—Newer Manufactured Home (160.110 et al.)

Allowed Zoning Districts (MH)

Principal Use: Permitted:
(160.112) Manufactured Home

Permitted Special:
Licensed Manufactured Home Park
**Permissible Spacing for Licensed Manufactured Home Parks
Established after March 26, 1970.*

Accessory Use: Permitted Special:
(160.113) Home Occupations • Family Day Care
Residential Accessory Buildings


Scroll to the top to find more information in the Zoning Interface.

Bulk Regulations

See 160.114 for complete bulk regulations

See 160.505 et al. "Additional Yard Regulations" for more info

- Front Yard:** 15 ft to street **20 ft to street for garages**
- Side Yard:** 20 ft between homes
- Rear Yard:** 20 ft between homes
- Height:** 35 ft
- Yard Exceptions:** Garage, canopy, accessory building over 200 sq ft or carport 10 ft to home (see Chart B below)
- Deck:** 4 ft from any manufactured home and enclosed vestibule accessory bldg under 200 sq ft



*Manufactured Home Park Spacing Chart (Chart B)

Other Applicable Regulations (For complete information, see §§ 160.460 to 160.603)

Buffer Yard: 30 ft at edge of park adjacent to DD1, DD2, DD3, and DD4
10 ft at edge of park adjacent to highways (160.488)

Signage: 1 sq ft wall sign (160.570 et al.)

Parking: 2 on-site spaces (160.550 et al.)

Landscaping: 90% of all required front yard setbacks and buffer yards (160.485 et al.)

Fence: 6 ft allowed except in front yard (160.480 et al.)

Alternative Site Plans: Allowed for buffer yard and landscaping alternatives (160.594 et al.)

Zoning Form: DD7—Detached Dwelling— High Density (160.120 et al.)

Allowed Zoning Districts (RCD Residential Cluster Development PUD)

Principal Use: Permitted:
(160.122) Dwelling, Single-family Detached

Accessory Use: Permitted Special:
(160.123) Home Occupations • Family Day Care • Off-Site Parking
Accessory Dwelling Units • Residential Accessory Buildings
Conditional Use:
Bed and Breakfast

Scroll to the top to find more information in the Zoning Interface.

Bulk Regulations

See 160.124 for complete bulk regulations

See 160.505 et al. "Additional Yard Regulations" for more info


Front Yard: 10 ft average—20 ft available with driveway

Side Yard: 0 ft on one side—5 ft on opposite side

Rear Yard: 10 ft average—20 ft with driveway

Height: 35 ft

Lot Frontage: 25 ft



Interlot Option

Z-lot Option

Zipper Lot Option

Other Applicable Regulations (For complete information, see §§ 160.460 to 160.603)

Buffer Yard: 10 ft total adjacent to highways
15 ft total adjacent to DD1, DD2, DD3, and DD4 (160.488)

Signage: 1 sq ft wall sign (160.570 et al.)

Parking: 2 on-site spaces (160.550 et al.)

Landscaping: 90% of all required front yard setbacks and buffer yards (160.485 et al.)

Fence: 6 ft allowed except in front yard (160.480 et al.)

Alternative Site Plans: Allowed for buffer yard and landscaping alternatives (160.594 et al.)



Zoning Form: AD1—Attached Dwelling—Suburban Twin Home/Duplex (160.130 et al.)

Allowed Zoning Districts (RD-1, RD-2, RA-1, RA-2, S-3, LW)

Principal Use: Permitted:
(160.132) Dwelling, Twin Home/Duplex

Accessory Use: Permitted Special:
(160.133) Home Occupations • Family Day Care • Off-Site Parking
Residential Accessory Buildings

Scroll to the top to find more information in the Zoning Interface.

Bulk Regulations

See 160.134 for all bulk regulations

See 160.505 et al. "Additional Yard Regulations" for more info


Front Yard: 25 ft **Required front yard may be 20 ft on corners**

Side Yard: 5 ft **On nonparty wall side**

Rear Yard: 25 ft **15 ft on corners**

Height: 35 ft

Lot Frontage: 25 ft



Other Applicable Regulations (For complete information, see §§ 160.460 to 160.603)

Buffer Yard: 10 ft total adjacent to designated highways (160.488)

Signage: 1 sq ft wall sign (160.570 et al.)

Parking: 2 on-site spaces (160.550 et al.)

Landscaping: 90% of all required front yard setbacks and buffer yards (160.485 et al.)

Fence: 6 ft allowed except in front yard (160.480 et al.)

Alternative Site Plans: Allowed for buffer yard and landscaping alternatives (160.594 et al.)

Zoning Form: AD2—Attached Dwelling—Suburban 4-Unit Townhome (160.140 et al.)

Allowed Zoning Districts (RD-1, RD-2, RA-1, RA-2, LW, S-2, PO-PUD)

Principal Use: **Permitted:**
(160.142) Dwelling, Townhouse 3–4 units in RD-1 Districts

Permitted Special:
Dwelling, Townhouse 3–4 units in RD-2, RA-1, RA-2, LW, S-2, and PO-PUD

Accessory Use: **Permitted Special:**
(160.143) Home Occupation • Family Day Care • Off-Site Parking
Residential Accessory Buildings

Scroll to the top to find more information in the Zoning Interface.

Bulk Regulations

See 160.144 for all bulk regulations

See 160.505 et al. "Additional Yard Regulations" for more info

Front Yard: 25 ft **20 ft on corners**



Side Yard: 7 ft on the non party wall side
0 ft on the party wall side

Rear Yard: 25 ft **15 ft on corners**

Height: 35 ft

Lot Frontage: 16 ft

Unit Limit: 3–4 units per structure



Other Applicable Regulations (For complete information, see §§ 160.460 to 160.603)

Buffer Yard: 10 ft total adjacent to highways (160.488)

Signage: 1 sq ft wall sign (160.570 et al.)

Parking: 2 on-site spaces per unit (160.550 et al.)

Landscaping: 90% of all required front yard setbacks and buffer yards (160.485 et al.)

Fence: 6 ft allowed except in front yard (160.480 et al.)

Alternative Site Plans: Allowed for buffer yard and landscaping alternatives (160.594 et al.)

Zoning Form: AD3—Attached Dwelling—Suburban 8-Unit Townhome (160.150 et al.)

Allowed Zoning Districts (RD-2, RA-1, RA-2, LW, S-2, PO-PUD)

Principal Use: Permitted:
(160.152) Dwelling Townhome 5–8 attached units

Accessory Use: Permitted Special:
(160.153) Home Occupations • Family Day Care • Off-Site Parking
Residential Accessory Buildings

Scroll to the top to find more information in the Zoning Interface.

Bulk Regulations

See 160.154 for all bulk regulations

See 160.505 et al. "Additional Yard Regulations" for more info

Front Yard: 25 ft **On corners, one front yard can be 15 ft**


Side Yard: 7 ft on the non party wall side
0 ft on the party wall side

Rear Yard: 25 ft **15 ft on corners**

Height: 35 ft

Lot Frontage: 16 ft

Unit Limit: 5–8 attached units per structure



Other Applicable Regulations (For complete information, see §§ 160.460 to 160.603)

Buffer Yard: 10 ft total adjacent to DD1, DD2, DD3, and DD4
10 ft total adjacent to highways (160.488)

Signage: 1 sq ft wall sign (160.570 et al.)

Parking: 2 on-site spaces per unit (160.550 et al.)

Landscaping: 90% of all required front yard setbacks and buffer yards (160.485 et al.)

Fence: 6 ft allowed except in front yard (160.480 et al.)

Alternative Site Plans: Allowed for buffer yard and landscaping alternatives (160.594 et al.)

Zoning Form: AD4—Attached Dwelling—Traditional 8-Unit Townhome (160.160 et al.)

Allowed Zoning Districts (RT-2, S-2, PO-PUD)

Principal Use: Permitted:
 (160.162) Dwelling, Twinhome/Duplex
 Dwelling, Townhome 3–8 units
 Dwelling, Converted Single-Family 2–8 units

Accessory Use: Permitted Special:
 (160.163) Home Occupations • Family Day Care • Off-Site Parking
 Residential Accessory Buildings

Scroll to the top to find more information in the Zoning Interface.

Bulk Regulations

See 160.164 for all bulk regulations

See 160.505 et al. "Additional Yard Regulations" for more info

Front Yard: 20 ft **May reduce to 10 ft when garage is recessed 10 ft back from front of house**


Side Yard: 5 ft on the non party wall side

Rear Yard: 10 ft

Height: 35 ft

Lot Frontage: N/A

Unit Limit: No more than 8 units per structure



Other Applicable Regulations (For complete information, see §§ 160.460 to 160.603)

Buffer Yard: 10 ft adjacent to DD1, DD2, DD3, and DD4
 10 ft adjacent to a highway (160.488)

Signage: 1 sq ft wall sign (160.570 et al.)

Parking: 2 on-site spaces per unit (160.550 et al.)

Landscaping: 90% of all required front yard setbacks and buffer yards (160.485 et al.)

Fence: 6 ft allowed except in front yard (160.480 et al.)

Alternative Site Plans: Allowed for buffer yard and landscaping (160.594 et al.)

Zoning Form: MD1—Multiple Dwelling—Small (160.170 et al.)

Allowed Zoning Districts (RA-1, RA-2, RA-2, LW, S-2, PO-PUD)

Principal Use: Permitted:
(160.172) Dwelling, Multiple Family

Accessory Use: Permitted Special:
(160.173) Home Occupations • Family Day Care • Off-Site Parking
Residential Accessory Buildings

Scroll to the top to find more information in the Zoning Interface.

Bulk Regulations

See 160.164 for all bulk regulations

See 160.505 et al. "Additional Yard Regulations" for more info

Front Yard: 25 ft **On corners, one can be 20 ft**
15 ft if provide open space with Alternative Site Plan (160.598)



Side Yard: 10 ft

Rear Yard: 10 ft

Height: 2 stories and 35 ft

Lot Frontage: 25 ft

Unit Limit: No more than 24 units per structure



Other Applicable Regulations (For complete information, see §§ 160.460 to 160.603)

Buffer Yard: 10 ft total adjacent to DD1, DD2, DD3, and DD4

Signage: 50 sq ft for wall or freestanding not to exceed 6 ft in height (160.570 et al.)

Parking: 1.5 spaces for 2 bedroom
2 spaces for 3+ bedrooms
0.75 spaces per unit for elderly (160.550 et al.)

Landscaping: 90% of all required front (and for all others) yard setbacks and buffer yards (160.485 et al.)

Parking Lot Landscaping: 1 tree per 18 parking spaces (160.485)

Fence: Up to 4 ft fence allowed in front yard and up to 8 ft fence in other yards (160.480 et al.)
Fences are in some cases required with buffer yards or outdoor screening

Alternative Site Plans: Allowed for buffer yard reduction and landscaping alternatives (160.594 et al.)

Zoning Form: MD2—Multiple Dwelling—Medium (160.180 et al.)

Allowed Zoning Districts (RA-2, RA-3, LW, S-2, PO-PUD)

Principal Use: Permitted:
(160.162) Dwelling, Multiple-family

Accessory Use: Permitted Special:
(160.163) Home Occupations • Family Day Care • Off-Site Parking
Residential Accessory Buildings



Scroll to the top to find more information in the Zoning Interface.

Bulk Regulations

See 160.164 for all bulk regulations

See 160.505 et al. "Additional Yard Regulations" for more info

- Front Yard:** 25 ft **On corners, one can be 20 ft**
15 ft if provide open space with Alternative Site Plan (160.598)
- Side Yard:** 10 ft **5 ft if provide open space with Alternative Site Plan** (160.598)
- Rear Yard:** 10 ft **5 ft if provide open space with Alternative Site Plan** (160.598)
- Height:** 3 stories and 45 ft
- Lot Frontage:** 25 ft
- Unit Limit:** No more than 48 units per structure



Other Applicable Regulations (For complete information, see §§ 160.460 to 160.603)

Buffer Yard: 15 ft total adjacent to DD1, DD2, DD3, and DD4
10 ft total adjacent to DD5, DD6, DD7, AD1, AD2, AD3, AD4, and Greenway (160.488)

Buffer Reduction: (160.488)

Signage: 50 sq ft for wall or freestanding not to exceed 6 ft in height (160.570 et al.)

Parking: 1.5 spaces for 2 bedroom
2 spaces for 3+ bedrooms
0.75 spaces per unit for elderly (160.550 et al.)

Landscaping: 90% of all required front yard setbacks and buffer yards (160.485 et al.)

Parking Lot Landscaping: 1 tree per 18 parking spaces (160.485)

Fence: Up to 4 ft fence allowed in front yard and up to 8 ft fence in other yards (160.480 et al.)
Fences are in some cases required with buffer yards or outdoor screening

Lighting: Within 150 ft of residential areas, lights shall be no more than 28 ft high (160.491)

Alternative Site Plans: Allowed for common open space, buffer yard reduction, landscaping alternatives, and parking reduction (160.594 et al.)

Zoning Form: MD3—Multiple Dwelling—Large (160.190 et al.)

Allowed Zoning Districts (RA-3)

Principal Use: Permitted:
(160.192) Dwelling, Multiple-family

Accessory Use: Permitted Special:
(160.193) Home Occupations • Family Day Care • Off-Site Parking
Residential Accessory Buildings

Scroll to the top to find more information in the Zoning Interface.

Bulk Regulations

See 160.194 for all bulk regulations

See 160.505 et al. "Additional Yard Regulations" for more info

Front Yard: 25 ft **15 ft if with common open space with Alternative Site Plan** (160.598)



Side Yard: 10 ft **5 ft if with common open space with Alternative Site Plan** (160.598)

Rear Yard: 10 ft **5 ft if with common open space with Alternative Site Plan** (160.598)

Height: No limit except no more than 3 stories adjacent to DD and AD forms
1 additional ft of setback for every 2 ft of height above 55 ft in height to 20 ft additional setback max

Lot Frontage: 25 ft

Unit Limit: No limit other than fire and building codes



Other Applicable Regulations (For complete information, see §§ 160.460 to 160.603)

Buffer Yard: 30 ft total adjacent to DD1, DD2, DD3, and DD4

15 ft total adjacent to DD5, DD6, DD7, AD1, AD2, AD3, AD4, and Greenway
Parking lots or accessory use adjacent to highways (160.488)

Buffer Reduction: (160.488)

Signage: 50 sq ft for wall or freestanding not to exceed 6 ft in height (160.570 et al.)

Parking: 1.5 spaces for 2 bedroom
2 spaces for 3+ bedrooms
0.75 spaces per unit for elderly (160.550 et al.)

Landscaping: 90% of all required yard setbacks and buffer yards (160.485 et al.)

Parking Lot Landscaping: 1 tree per 18 parking spaces (160.485)

Fence: Up to 4 ft fence allowed in front yard and up to 8 ft fence in other yards (160.480 et al.)
Fences are in some cases required with buffer yards or outdoor screening

Lighting: Within 150 ft of residential areas, lights shall be no more than 28 ft high (160.491)

Alternative Site Plans: Allowed for buffer yard reduction, landscaping alternatives, and parking reduction (160.594 et al.)

Zoning Form: NF1—Neighborhood Facilities (160.200 et al.)

Allowed Zoning Districts (RS, RT-1, RT-2, RD-1, RD-2, MH, RA-1, RA-2, RA-3, RCD-PUD, O, S-1, S-2, LW, PO-PUD)

Principal Use: **Permitted:**
(160.202) Neighborhood Park
Permitted Special:
Elementary Schools • Places of Worship
Public Service Facilities • Recreational Facilities—Subdivision

Accessory Use: **Permitted Special:**
(160.203) Dwellings for Religious Orders (accessory to places of worship)
Off-Site Parking


Scroll to the top to find more information in the Zoning Interface.

Bulk Regulations

See 160.204 for all bulk regulations

See 160.505 et al. "Additional Yard Regulations" for more info

Front Yard: 25 ft **On corners, one front yard can be 20 ft**
Side Yard: 10 ft
Rear Yard: 10 ft
Height: 35 ft and 2 stories
Size Limit: Comply with fire and building codes



Other Applicable Regulations (For complete information, see §§ 160.460 to 160.603)

Buffer Yard: 15 ft total adjacent to DD1, DD2, DD3, and DD4 (160.488)

Buffer Reduction: 5 ft reduction when parking adjacent (160.488)

Signage: 50 sq ft for wall or freestanding not to exceed 6 ft in height (160.570 et al.)

Parking: Places of Worship—1 space for each 4 persons in sanctuary
Elementary School—10 spaces plus 1 space for each staff member (160.550 et al.)

Landscaping: 90% of all required yard setbacks and buffer yards (160.485 et al.)

Parking Lot Landscaping: 1 tree per 18 parking spaces (160.485)

Parking Lot Design: Parking lot layout and dimensions approved per Engineering Design Standards
Parking lots shall generally be hard surfaced
Divide parking lots with more than 200 spaces
Provide a direct and clearly defined pedestrian pathway from adjacent public sidewalk to building entrance (160.556)

Service Functions: Screened or hidden from view (160.485)

Fence: No more than 8 ft in height except in front yard (160.480 et al.)

Lighting: Within 150 ft of residential areas, lights shall be no more than 28 ft high (160.491)

Alternative Site Plans: Allowed for buffer yard reduction, landscaping alternatives, and parking reduction (160.594 et al.)

Zoning Form: NF2—Neighborhood Residential Facilities (160.210 et al.)

Allowed Zoning Districts (RD-2, RT-2, RA-1, RA-2, RA-3, S-1, S-2, O, LW, PO-PUD)

Principal Use: Permitted:
(160.212)
Community Residential Home • Nursing Home
Assisted Living Center

Accessory Use: Permitted Special:
(160.213)
Any building or use that's subordinate to any principal use
Off-Site Parking

Scroll to the top to find more information in the Zoning Interface.

Bulk Regulations

See 160.214 for all bulk regulations

See 160.505 et al. "Additional Yard Regulations" for more info


Front Yard: 25 ft **On corners, one front yard can be 20 ft**
15 ft with common open space through Alternative Site Plan

Side Yard: 10 ft

Rear Yard: 10 ft

Height: 35 ft and 2 stories

Size Limit: Comply with fire and building codes



Other Applicable Regulations (For complete information, see §§ 160.460 to 160.603)

Buffer Yard: 15 ft total adjacent (Level B) to DD1, DD2, DD3, and DD4
10 ft total adjacent to DD5, DD6, DD7, AD1, AD2, AD3, AD4, and Greenway (160.488)

Buffer Reduction: 5 ft reduction when parking adjacent (for Level B buffer yards) (160.488)

Signage: 50 sq ft for wall or freestanding not to exceed 6 ft in height (160.570 et al.)

Parking: 1 parking space for each employee or volunteer on the max shift plus 1 space for each bedroom (160.550 et al.)

Landscaping: 90% of all required yard setbacks and buffer yards (160.485 et al.)

Parking Lot Landscaping: 1 tree per 18 parking spaces (160.485)

Parking Lot Design: 8.5 ft minimum stall width; 7.5 ft for compact cars
Parking lot layout and dimensions approved per Engineering Design Standards
Parking lots shall generally be hard surfaced
Divide parking lots with more than 200 spaces
Provide a direct and clearly defined pedestrian pathway from adjacent public sidewalk to building entrance (160.556)

Service Functions: Screened or hidden from view (160.485)

Fence: No more than 8 ft in height except in front yard (160.480 et al.)

Lighting: Within 150 ft of residential areas, lights shall be no more than 28 ft high (160.491)

Alternative Site Plans: Allowed for buffer yard reduction, landscaping alternatives, and parking reduction (160.594 et al.)

Zoning Form: BCF1—Business and Community Facilities—Small (160.220 et al.)

Allowed Zoning Districts (O, LW, I-1, S-1, S-2, PO-PUD)

Principal Use: (160.222)
Permitted Special:
 Office • College, University, Post High School
 Elementary School • Dwellings Above the First Story
 Recreational Facility—Private • Middle/High School
 Day Care Center • Residential-Compatible Self-Storage
 Funeral Establishment • Mortuary • Cultural Facility
 Research Facility

Accessory Use: (160.223)
Permitted Special:
 Accessory Alcohol • Drive-through Service Window
 Accessory Living Unit • Off-Site Parking


Scroll to the top to find more information in the Zoning Interface.

Bulk Regulations

See 160.224 for all bulk regulations

See 160.505 et al. "Additional Yard Regulations" for more info

Front Yard: 15 ft
Side Yard: 0 ft
Rear Yard: 0 ft
Height: 35 ft and 2 stories
Size Limit: 40,000 sq ft—1 story; 60,000 sq ft—2 stories



Other Applicable Regulations (For complete information, see §§ 160.460 to 160.603)

Buffer Yard: 15 ft total adjacent (Level B) to DD1, DD2, DD3, and DD4
 10 ft total adjacent to DD5, DD6, DD7, AD1, AD2, AD3, AD4, Greenway, MD1, and MD2 (160.488)

Buffer Reduction: 5 ft reduction for Level B when parking adjacent (160.488)

Signage: Building—1 sq ft/2 lineal ft of street or building frontage
 Freestanding—40 sq ft and 8 ft in height to 100 ft of frontage 60 sq ft above that (160.570 et al.)

Parking: 1 space for each 300 sq ft of floor area except for schools (160.550 et al.)

Landscaping: 90% of all required yard setbacks and buffer yards (160.485 et al.)

Parking Lot Landscaping: 1 tree per 18 parking spaces (160.485)

Parking Lot Design: 8.5 ft minimum stall width; 7.5 ft for compact cars
 Parking lot layout and dimensions approved per Engineering Design Standards
 Parking lots shall generally be hard surfaced
 Divide parking lots with more than 200 spaces
 Provide a direct and clearly defined pedestrian pathway from adjacent public sidewalk to building entrance (160.556)

Service Functions: Screened or hidden from view (160.485)

Fence: No more than 8 ft in height except in front yard (160.480 et al.)

Lighting: Within 150 ft of residential areas, lights shall be no more than 28 ft high (160.491)

Zoning Form: BCF2—Business and Community Facilities—Community Service (160.230 et al.)

Allowed Zoning Districts (S-1, S-2, I-1, I-2)

Principal Use: **Permitted:**
 (160.232) Halfway House • Temporary Emergency Shelter
 Human Services Facility • Detention Facility
 1. 1,000 ft to any K-8 school, park, day care, or residential area.
 2. An approved security management plan.

Accessory Use: **Permitted Special:**
 (160.233) Off-Site Parking



Scroll to the top to find more information in the Zoning Interface.

Bulk Regulations

See 160.234 for all bulk regulations

See 160.505 et al. "Additional Yard Regulations" for more info

Front Yard: 15 ft
Side Yard: 0 ft
Rear Yard: 0 ft
Height: 45 ft and 3 stories
Size Limit: Unlimited



Other Applicable Regulations (For complete information, see §§ 160.460 to 160.603)

Buffer Yard: 30 ft total adjacent to DD1, DD2, DD3, and DD4
 15 ft total adjacent to DD5, DD6, DD7, AD1, AD2, AD3, AD4, and Greenway
 10 ft total adjacent to MD1 and MD2 (160.488)

Buffer Reduction: (160.488)

Signage: Building—1 sq ft/2 lineal ft of street or building frontage
 Freestanding—40 sq ft and 8 ft in height to 100 ft of frontage 60 sq ft above that (160.570 et al.)

Parking: 1 space for each employee or volunteer on the max shift plus 1 space for each bedroom (160.550 et al.)

Landscaping: 90% of all required yard setbacks and buffer yards (160.485 et al.)

Parking Lot Landscaping: 1 tree per 18 parking spaces (160.485)

Parking Lot Design: 8.5 ft minimum stall width; 7.5 ft for compact cars
 Parking lot layout and dimensions approved per Engineering Design Standards
 Parking lots shall generally be hard surfaced
 Divide parking lots with more than 200 spaces
 Provide a direct and clearly defined pedestrian pathway from adjacent public sidewalk to building entrance (160.556)

Service Functions: Screened or hidden from view (160.485)

Fence: No more than 8 ft in height except in front yard (160.480 et al.)

Lighting: Within 150 ft of residential areas, lights shall be no more than 28 ft high (160.491)

Alternative Site Plans: Allowed for buffer yard reduction, landscaping alternatives, and parking reduction (160.594)

Zoning Form: BCF3—Business and Community Facilities—Large (160.240 et al.)

Allowed Zoning Districts (S-1, S-2, LW, I-1, I-2)

Principal Use: Permitted:
(160.242) Office • Hospital • Research Facility • Cultural Facility
College, University, Post High School • Places of Worship
Middle/High School, Elementary • Recreation Facility—Private
Public Service Facility • Dwelling(s) Above the First Story

Permitted Special:
Public Assembly Facility • Day Care Center
Funeral Establishment and Mortuary
Residential-compatible Self-Storage • Hotel/Motel

Accessory Use: Permitted Special:
(160.243) Heliport • Drive-through Service Window • Parking Ramps
Accessory Alcohol • Off-Site Parking

Scroll to the top to find more information in the Zoning Interface.

Bulk Regulations

See 160.234 for all bulk regulations

See 160.505 et al. "Additional Yard Regulations" for more info



Front Yard: 20 ft **15 ft if provide open space with Alternative Site Plan** (160.598)

Side Yard: 0 ft

Rear Yard: 0 ft

Height: No limit except limit to 45 ft and 3 stories when adjacent to DD and AD forms
1 additional ft of buffer for every 2 ft of height above 55 ft in height to 20 ft additional setback max

Size Limit: No limit



Other Applicable Regulations (For complete information, see §§ 160.460 to 160.603)

Buffer Yard: 45 ft total adjacent to DD1, DD2, DD3, and DD4
30 ft total adjacent to DD5, DD6, DD7, AD1, AD2, AD3, AD4, and Greenway
15 ft total adjacent to MD1 and MD2 (160.488)

Buffer Reduction: (160.488)

Signage: Building—1 sq ft/2 lineal ft of street or building frontage
Freestanding—40 sq ft and 8 ft in height to 100 ft of frontage 60 sq ft above that (160.570 et al.)

Parking: 1 parking space for every 0.75 employee on the maximum shift except for hospitals, schools, and college/universities (160.550)

Landscaping: 90% of all required yard setbacks and buffer yards (160.485 et al.)

Parking Lot Landscaping: 1 tree per 18 parking spaces (160.485)

Parking Lot Design: Parking lot layout and dimensions approved per Engineering Design Standards
Parking lots shall generally be hard surfaced
Divide parking lots with more than 100 spaces
Provide a direct and clearly defined pedestrian pathway from adjacent public sidewalk to building entrance (160.556)

Service Functions: Screened or hidden from view (160.485)

Fence: No more than 8 ft in height except in front yard (160.480 et al.)

Lighting: Within 150 ft of residential areas, lights shall be no more than 28 ft high (160.491)

Alternative Site Plans: Allowed for buffer yard reduction, landscaping alternatives, and parking reduction (160.594)

Zoning Form: BCF4—Business and Community Facilities—Open Space (160.250 et al.)

Allowed Zoning Districts (CN, REC)

Principal Use: Permitted:
(160.252) Cultural Facility • Public Recreation Facility • Fairgrounds

Permitted Special:
Club House

Accessory Use: Permitted Special:
(160.253) Drive-through Service Window • Off-Site Parking

Scroll to the top to find more information in the Zoning Interface.

Bulk Regulations

See 160.254 for all bulk regulations

See 160.505 et al. "Additional Yard Regulations" for more info



Front Yard: 15 ft **if on corner lot two front yard**

Side Yard: 0 ft

Rear Yard: 0 ft

Height: 35 ft and 2 stories

Size Limit: No limit



Other Applicable Regulations (For complete information, see §§ 160.460 to 160.603)

Buffer Yard: 45 ft total Type D when over 15,000 sq ft and 1 story; or over 30,000 sq ft and 2 stories
30 ft total adjacent to DD1, DD2, DD3, and DD4
15 ft total adjacent to DD5, DD6, DD7, AD1, AD2, AD3, AD4, and Greenway
10 ft total adjacent to MD1 and MD2 (160.488)

Buffer Reduction: (160.488)

Signage: Building—1 sq ft/2 lineal ft of street or building frontage
Freestanding—40 sq ft and 6 ft in height to 100 ft of frontage 60 sq ft above that (160.570 et al.)

Parking: 1 parking space for every 300 sq ft of floor area (160.550)

Landscaping: 90% of all required yard setbacks and buffer yards (160.485 et al.)

Parking Lot Landscaping: 1 tree per 18 parking spaces (160.485)

Parking Lot Design: 8.5 ft minimum stall width; 7.5 ft for compact cars
Parking lot layout and dimensions approved per Engineering Design Standards
Parking lots shall generally be hard surfaced
Divide parking lots with more than 200 spaces
Provide a direct and clearly defined pedestrian pathway from adjacent public sidewalk to building entrance (160.556)

Service Functions: Screened or hidden from view (160.485)

Fence: No more than 8 ft in height except in front yard (160.480 et al.)

Lighting: Within 150 ft of residential areas, lights shall be no more than 28 ft high (160.491)

Alternative Site Plans: Allowed for buffer yard reduction, landscaping alternatives, and parking reduction (160.594)

Zoning Form: RE1—Limited Retail Employment (160.260 et al.)

Allowed Zoning Districts (C-1, S-1, S-2, O, LW, I-2)

Principal Use: **Permitted:**
(160.262) Office • Places of Worship

Permitted Special:
Limited Retail and Services

- Hours limited to: Sunday–Thursday, 6 a.m. to 10 p.m.; and on weekends Friday–Saturday, 6 a.m. to 11 p.m.
- Drive-through facilities and car washes prohibited.
- Outdoor speakers prohibited.

Accessory Use: **Permitted Special:**
(160.263) Accessory Alcohol • Accessory Retail Warehouse or Processing
Accessory Food Product Manufacturing
Drive-through Service Window

Scroll to the top to find more information in the Zoning Interface.

Bulk Regulations



See 160.264 for all bulk regulations

See 160.505 et al. "Additional Yard Regulations" for more info

Front Yard: 10 ft
Side Yard: 0 ft
Rear Yard: 0 ft
Height: 25 ft and 2 stories
Size Limit: Building no more than 4,000 sq ft or 13 parking stalls

What is limited retail and services?

Neighborhood Friendly and small in scale that includes all general retail and services except a day labor agency, exterminating shop, firearms dealer, memorial monuments, pawnshop, small engine repair, tattoo and body piercing parlor, adult use, tobacco shop, on-sale and off-sale alcohol, nightclub, hotel, bus passenger terminals, and reception hall.



Other Applicable Regulations (For complete information, see §§ 160.460 to 160.603)

Buffer Yard: 15 ft total adjacent to DD1, DD2, DD3, and DD4

Buffer Reduction: 5 ft reduction when parking adjacent (160.488)

Signage: Building—1 sq ft/2 lineal ft of street or building frontage
Freestanding—40 sq ft and 8 ft in height to 100 ft of frontage 60 sq ft above that (160.570 et al.)

Parking: 1 parking space for every 300 sq ft of floor area (160.550)

Landscaping: 90% of all required yard setbacks and buffer yards (160.485 et al.)

Parking Lot Landscaping: 1 tree per 18 parking spaces (160.485)

Parking Lot Design: 8.5 ft minimum stall width; 7.5 ft for compact cars
Parking lot layout and dimensions approved per Engineering Design Standards
Parking lots shall generally be hard surfaced
Divide parking lots with more than 200 spaces
Provide a direct and clearly defined pedestrian pathway from adjacent public sidewalk to building entrance (160.556)

Service Functions: Screened or hidden from view (160.485)

Fence: No more than 8 ft in height except in front yard (160.480 et al.)

Lighting: Within 150 ft of residential areas, lights shall be no more than 28 ft high (160.491)

Alternative Site Plans: Allowed for buffer yard reduction, landscaping alternatives, and parking reduction (160.594)

Zoning Form: RE2—Streetcar Retail Employment (160.270 et al.)

Allowed Zoning Districts (C-2, S-2, PO-PUD)

Principal Use: Permitted:
(160.272)
General Retail and Services • Places of Worship • Office
Public Service Facility • Recreation Facility—Private
Cultural Facilities • Dwelling(s) Above the First Story

Permitted Special:
Motor Vehicle Retail and Services • Full-Service, Restaurant
On-Sale Alcoholic Beverage Establishment • Day Care Center
Off-Sale Alcoholic Beverage Establishment • Kennel
Funeral Establishment and Mortuary

Accessory Use: Permitted Special:
(160.273)
Accessory Alcohol • Off-Site Parking • Accessory Living Unit
Drive-through Service Window

Scroll to the top to find more information in the Zoning Interface.

Bulk Regulations



See 160.274 for all bulk regulations

See 160.505 et al. "Additional Yard Regulations" for more info

Front Yard: 10 ft *5 ft with standards below
Side Yard: 0 ft
Rear Yard: 0 ft
Height: 35 ft and 2 stories
Max Size: Building no more than 25,000 sq ft or 167 parking stalls

*5 ft if recessed doors, 30% of facade is windows and same amount of landscaping (160.274)

*0 ft is possible with a streetcar alternative site plan (160.603)



Other Applicable Regulations (For complete information, see §§ 160.460 to 160.603)

Buffer Yard: 30 ft total adjacent to DD1, DD2, DD3, and DD4
15 ft total adjacent to DD5, DD6, DD7, AD1, AD2, AD3, AD4, and Greenway
10 ft total adjacent to MD1 and MD2 (160.488)

Buffer Reduction: (160.488)

Signage: Building—1 sq ft/2 lineal ft of street or building frontage
Freestanding—40 sq ft and 8 ft in height to 100 ft of frontage 60 sq ft above that (160.570 et al.)

Parking: 1 parking space for every 300 sq ft of floor area except for specified uses—restaurants, car wash, etc. (160.550)

Landscaping: 90% of all required yard setbacks and buffer yards (160.485 et al.)

Parking Lot Landscaping: 1 tree per 18 parking spaces (160.485)

Parking Lot Design: 8.5 ft minimum stall width; 7.5 ft for compact cars
Parking lot layout and dimensions approved per Engineering Design Standards
Parking lots shall generally be hard surfaced
Divide parking lots with more than 200 spaces
Provide a direct and clearly defined pedestrian pathway from adjacent public sidewalk to building entrance (160.556)

Service Functions: Screened or hidden from view (160.485)

Fence: No more than 8 ft in height except in front yard (160.480 et al.)

Lighting: Within 150 ft of residential areas, lights shall be no more than 28 ft high (160.491)

Specific Standards—included in RE2 form standards (160.274)

Orientation: 35% of building abutting front yard setback

Facade: Front entrance or windows to street with articulation

Alternative Site Plans: Allowed for buffer yard reduction, landscaping alternatives, parking reduction, and signage master plan (160.594)

Zoning Form: RE3—Parking-Oriented Retail Employment (160.280 et al.)

Allowed Zoning Districts (C-2, C3, C-4, S-2, I-1, PO-PUD)

Principal Use: Permitted:
(160.282) General Retail and Services • Places of Worship • Office
Public Service Facility • Recreation Facility—Private
Cultural Facilities • Dwelling(s) Above the First Story

Permitted Special:
Motor Vehicle Retail and Services • Full-Service, Restaurant
On-Sale Alcoholic Beverage Establishment • Day Care Center
Off-Sale Alcoholic Beverage Establishment • Kennel
Funeral Establishment and Mortuary • Self-Storage Facility
Adult Use

Accessory Use: Permitted Special:
(160.283) Accessory Alcohol • Off-Site Parking • Motor Vehicle Display
Drive-through Service Window • Accessory Living Unit
Accessory Outdoor • Retail Sales • Accessory Outdoor Storage



Scroll to the top to find more information in the Zoning Interface.

Bulk Regulations

See 160.284 for all bulk regulations

See 160.505 et al. "Additional Yard Regulations" for more info

Front Yard: 10 ft
Side Yard: 0 ft
Rear Yard: 0 ft
Height: 35 ft and 2 stories
Max Size: Building no more than 25,000 sq ft or 167 parking stalls
Lot Width: N/A



Other Applicable Regulations (For complete information, see §§ 160.460 to 160.603)

Buffer Yard: 30 ft total adjacent to DD1, DD2, DD3, and DD4
15 ft total adjacent to DD5, DD6, DD7, AD1, AD2, AD3, AD4, and Greenway
10 ft total adjacent to MD1 and MD2 (160.488)

Buffer Reduction: (160.488)

Signage: Building—1 sq ft/2 lineal ft of street or building frontage
Freestanding—40 sq ft and 8 ft in height to 100 ft of frontage 60 sq ft above that (160.570 et al.)

Parking: 1 parking space for every 300 sq ft of floor area except for specified uses—restaurants, car wash, etc. (160.550)

Landscaping: 90% of all required yard setbacks and buffer yards (160.485 et al.)

Parking Lot Landscaping: 1 tree per 18 parking spaces (160.485)

Parking Lot Design: 8.5 ft minimum stall width; 7.5 ft for compact cars
Parking lot layout and dimensions approved per Engineering Design Standards
Parking lots shall generally be hard surfaced
Divide parking lots with more than 200 spaces
Provide a direct and clearly defined pedestrian pathway from adjacent public sidewalk to building entrance (160.556)

Service Functions: Screened or hidden from view (160.485)

Fence: No more than 8 ft in height except in front yard (160.480 et al.)

Lighting: Within 150 ft of residential areas, lights shall be no more than 28 ft high (160.491)

Alternative Site Plans: Allowed for buffer yard reduction, landscaping alternatives, parking reduction, and signage master plan (160.594)

Zoning Form: RE4—Community Retail Employment (160.290 et al.)

Allowed Zoning Districts (C-3, C-4, PO-PUD)

Principal Use: Permitted:
(160.292)
General Retail and Services • Places of Worship • Office
Public Service Facility • Recreation Facility—Private
Cultural Facilities • Dwelling(s) Above the First Story

Permitted Special:
Motor Vehicle Retail and Services • Full-Service Restaurant
On-Sale Alcoholic Beverage Establishment • Day Care Center
Off-Sale Alcoholic Beverage Establishment • Adult Use
Funeral Establishment and Mortuary • Self-Storage Facility

Accessory Use: Permitted Special:
(160.293)
Accessory Alcohol • Off-Site Parking • Outdoor Retail Sales
Motor Vehicle Display and Sales • Parking Ramps
Drive-through Service Window • Outdoor Storage



Scroll to the top to find more information in the Zoning Interface.

Bulk Regulations

See 160.294 for all bulk regulations

See 160.505 et al. "Additional Yard Regulations" for more info

Front Yard: 15 ft
Side Yard: 0 ft
Rear Yard: 0 ft
Height: 60 ft and 4 stories except 45 ft except 3 stories adjacent to DD and AD forms
Max Size: Building less than 75,000 sq ft or no more than 250 parking stalls
Lot Width: N/A



Other Applicable Regulations (For complete information, see §§ 160.460 to 160.603)

Buffer Yard: 45 ft total adjacent to DD1, DD2, DD3, and DD4
30 ft total adjacent to DD5, DD6, DD7, AD1, AD2, AD3, AD4, and Greenway
15 ft total adjacent to MD1 and MD2 (160.488)

Buffer Reduction: (160.488)

Signage: Building—1 sq ft/2 lineal ft of street or building frontage
Freestanding—40 sq ft and 8 ft in height to 100 ft of frontage 60 sq ft above that (160.570 et al.)

Parking: 1 parking space for every 300 sq ft of floor area except for specified uses—restaurants, car wash, etc. (160.550)

Landscaping: 90% of all required yard setbacks and buffer yards (160.485 et al.)

Parking Lot Landscaping: 1 tree per 18 parking spaces (160.485)

Parking Lot Design: 8.5 ft minimum stall width; 7.5 ft for compact cars
Parking lot layout and dimensions approved per Engineering Design Standards
Parking lots shall generally be hard surfaced
Divide parking lots with more than 100 spaces
Provide a direct and clearly defined pedestrian pathway from adjacent public sidewalk to building entrance (160.556)

Service Functions: Screened or hidden from view (160.485)

Fence: No more than 8 ft in height except in front yard (160.480 et al.)

Lighting: Within 150 ft of residential areas, lights shall be no more than 28 ft high (160.491)

Alternative Site Plans: Allowed for buffer yard reduction, landscaping alternatives, parking reduction, and signage master plan (160.594)

Zoning Form: RE5—Regional Retail Employment (160.300 et al.)

Allowed Zoning Districts (C-4)

Principal Use: Permitted:
(160.302)
General Retail and Services • Places of Worship • Office • Public Service Facility • Recreation Facility—Private Cultural Facilities • Dwelling(s) Above the First Story

Permitted Special:
Motor Vehicle Retail and Services • Full-Service Restaurant On-Sale Alcoholic Beverage Establishment • Day Care Center Off-Sale Alcoholic Beverage Establishment • Adult Use Funeral Establishment and Mortuary • Self-Storage Facility

Accessory Use: Permitted Special:
(160.303)
Accessory Alcohol • Off-Site Parking • Outdoor Retail Sales Motor Vehicle Display and Sales • Parking Ramps Drive-through Service Window • Outdoor Storage


Scroll to the top to find more information in the Zoning Interface.

Bulk Regulations

See 160.304 for all bulk regulations

See 160.505 et al. "Additional Yard Regulations" for more info

Front Yard: 15 ft
Side Yard: 0 ft
Rear Yard: 0 ft
Height: No limit except 45 ft and 3 stories when adjacent to DD and AD forms
Lot Width: N/A



Other Applicable Regulations (For complete information, see §§ 160.460 to 160.603)

Buffer Yard: 45 ft total adjacent to DD1, DD2, DD3, and DD4
30 ft total adjacent to DD5, DD6, DD7, AD1, AD2, AD3, AD4, and Greenway
15 ft total adjacent to MD1 and MD2 (160.488)

Buffer Reduction: (160.488)

Signage: Building—1 sq ft/1 lineal ft of street frontage or 2 sq ft/1 lineal ft of building frontage
Freestanding—40 sq ft and 8 ft in height to 100 ft of frontage 60 sq ft above that (160.570 et al.)

Parking: 1 parking space for every 400 sq ft of floor area except for specified uses—restaurants, car wash, etc. (160.550)

Landscaping: 90% of all required yard setbacks and buffer yards (160.485 et al.)

Parking Lot Landscaping: 1 tree per 18 parking spaces (160.485)

Parking Lot Design: 8.5 ft minimum stall width; 7.5 ft for compact cars
Parking lot layout and dimensions approved per Engineering Design Standards
Parking lots shall generally be hard surfaced
Divide parking lots with more than 100 spaces
Provide a direct and clearly defined pedestrian pathway from adjacent public sidewalk to building entrance (160.556)

Service Functions: Screened or hidden from view (160.485)

Fence: No more than 8 ft in height except in front yard (160.480 et al.)

Lighting: Within 150 ft of residential areas, lights shall be no more than 28 ft high (160.491)

Alternative Site Plans: Allowed for buffer yard reduction, landscaping alternatives, parking reduction, and signage master plan (160.594)

Zoning Form: RE6—Village Mixed-Use (160.310 et al.)

Allowed Zoning Districts (Village PUD, Downtown PUD)

Principal Use: Permitted:
(160.312) General Retail and Services • Places of Worship • Office
Public Service Facility • Recreation Facility—Private
Cultural Facilities • College or Post High School
Dwelling(s) Above the First Story

Permitted Special:
On-Sale Alcoholic Beverage Establishment • Live-Work units
Off-Sale Alcoholic Beverage Establishment • Day Care Center
Full-Service Restaurant • Funeral Establishment and Mortuary
Commercial Parking Lot • Adult Use

Conditional Use:
Assisted Living Including First Floor • Human Service Facility
Dwelling—Multiple Family including First Floor
Temporary or Emergency Shelter

Accessory Use: Permitted Special:
(160.313) Accessory Alcohol • Off-Site Parking • Outdoor Retail Sales
Drive-through Service Window • Parking Ramps
Accessory Living Unit

Scroll to the top to find more information in the Zoning Interface.


Bulk Regulations

See 160.314 for all bulk regulations

See 160.505 et al. "Additional Yard Regulations" for more info

Setbacks may be consistent with existing building footprint or adjacent building's footprint

Front Yard: 0 ft
Rear Yard: 0 ft
Height: Unlimited
Max Size: Unlimited
Lot Width: N/A



Downtown and any Village PUD should construct master plans based on:

See Chapter 5-Section G of Shape Sioux Falls. For Downtown PUD, see PUD standards in 160.449. For Village Mixed Use PUD, see PUD standards in 160.450.

Other Applicable Regulations (For complete information, see §§ 160.460 to 160.603)

Signage: Building—3 sq ft/1 lineal ft of street frontage
Roof—32 sq ft no higher than 5 ft; no freestanding allowed (160.570 et al.)

Parking: Based on initial development plan and PUD standards
Public parking areas may be counted toward standards (160.550)

Landscaping: Create at least one active and strategically located open space (160.485 et al.)

Parking Lot Landscaping: 1 tree per 18 parking spaces (160.485)

Parking Lot Design: 8.5 ft minimum stall width; 7.5 ft for compact cars
Parking lot layout and dimensions approved per Engineering Design Standards
Parking lots shall generally be hard surfaced
Parking lots located to the side or rear of buildings (160.556)

Pedestrians: Entrances need to be directly accessible without interruption from adjacent sidewalks or pathways (Chapter 5 Shape SF)

Service Functions: Screened or hidden from view (160.485)

Fence: No more than 8 ft in height except in front yard (160.480 et al.)

Lighting: Within 150 ft of residential areas, lights shall be no more than 28 ft high (160.491)

Zoning Form: WM1—Warehouse and Manufacturing—Light (160.320 et al.)

Allowed Zoning Districts (I-1, I-2)

Principal Use: **Permitted Special:**
(160.322) Light Manufacturing—Processing and Assembly, Light Warehouse and Freight Movement • Crematory • Campground

Accessory Use: **Permitted Special:**
(160.323) Heliport • Off-Site Parking

Light Warehouse and Freight Movement is:

Uses generally have storage contained within a building and/or are not obnoxious with dust and noise such as: Recycling Collection, Contractors Shop, Wholesale Trade, Warehouse, Farm Implement Sales and Service, Semi-Truck Sales and Service, Bus and Truck Washes

Light Manufacturing Process and Assembly is:

Uses generally have all aspects of their process carried on within the building.


Scroll to the top to find more information in the Zoning Interface.

Bulk Regulations

See 160.324 for all bulk regulations

See 160.505 et al. "Additional Yard Regulations" for more info

Front Yard: 25 ft
Side Yard: 0 ft
Rear Yard: 0 ft
Height: 45 ft for I-1
 55 ft for I-2
Max Size: No limit
Lot Width: N/A



Other Applicable Regulations (For complete information, see §§ 160.460 to 160.603)

Buffer Yard: 30 ft total adjacent to DD1, DD2, DD3, and DD4
 30 ft total adjacent to DD5, DD6, DD7, AD1, AD2, AD3, AD4, and Greenway
 15 ft total adjacent to MD1 and MD2 (160.488)

Buffer Reduction: (160.488)

Signage: Wall—1 sq ft/3 lineal ft of street frontage and 1 sq ft/4 ft for 2nd front
 Freestanding—37 sq ft and 18 ft in height to 100 ft of frontage (160.570 et al.)

Parking: Warehouse and Freight Movement—1 per 1,500 sq ft of GFA
 Manuf., Process, and Assembly—1 per 1,500 sq ft of GFA or 0.75 for each employee on max. shift, whichever is greater (160.550)

Landscaping: 90% of required front yard setback (160.485 et al.)

Parking Lot Landscaping: 1 tree per 18 parking spaces (160.485)

Parking Lot Design: 8.5 ft minimum stall width; 7.5 ft for compact cars
 Parking lot layout and dimensions approved per Engineering Design Standards
 Parking lots shall generally be hard surfaced
 Divide parking lots with more than 100 spaces
 Provide a direct and clearly defined pedestrian pathway from adjacent public sidewalk to building entrance (160.556)

Service Functions: Screened or hidden from view (160.485)

Fence: No more than 8 ft in height except in front yard (160.480 et al.)

Lighting: Within 150 ft of residential areas, lights shall be no more than 28 ft high (160.491)

Alternative Site Plans: Allowed for buffer yard reduction, landscaping alternatives, parking reduction, and signage master plan (160.594)

Zoning Form: WM2—Warehouse and Manufacturing—Heavy (160.330 et al.)

Allowed Zoning Districts (I-2)

Principal Use: **Permitted Special:**
(160.332) Heaving Manufacturing—Processing and Assembly, Heavy Warehouse and Freight Movement

Accessory Use: **Permitted Special:**
(160.333) Heliport • Off-Site Parking

Heavy Manufacturing Processing and Assembly Includes:

Some aspects of process may be carried on outside or include some of these uses: Fruit and vegetable canning, Stockyard slaughter of animals, Grain processing, Asphalt concrete plant, Ready-mix concrete plant, Regulated medical waste facility

Heavy Warehouse and Freight Movement Includes:

Those uses that require additional mitigation due to dust and noise such as: Salvage operation, Solid waste transfer, Grain terminal, Junk yard, Tank farm, Truck terminal


Scroll to the top to find more information in the Zoning Interface.

Bulk Regulations

See 160.334 for all bulk regulations

See 160.505 et al. "Additional Yard Regulations" for more info

Front Yard: 25 ft
Side Yard: 0 ft
Rear Yard: 0 ft
Height: 55 ft
Max Size: No limit
Lot Width: N/A



Other Applicable Regulations (For complete information, see §§ 160.460 to 160.603)

Buffer Yard: 45 ft total adjacent to DD1, DD2, DD3, and DD4
45 ft total adjacent to DD5, DD6, DD7, AD1, AD2, AD3, AD4, and Greenway
30 ft total adjacent to MD1 and MD2 (160.488)

Buffer Reduction: (160.488)

Signage: Wall—1 sq ft/3 lineal ft of street frontage and 1 sq ft/4 ft for 2nd front
Freestanding—37 sq ft and 18 ft in height to 100 ft of frontage above that (160.570 et al.)

Parking: Warehouse and Freight Movement—1 per 1,500 sq ft of GFA
Manuf., Process, and Assembly—1 per 1,500 sq ft of GFA or 0.75 for each employee on max. shift, whichever is greater (160.550)

Landscaping: 90% of required front yard setback (160.485 et al.)

Parking Lot Landscaping: 1 tree per 18 parking spaces (160.485)

Parking Lot Design: 8.5 ft minimum stall width; 7.5 ft for compact cars
Parking lot layout and dimensions approved per Engineering Design Standards
Parking lots shall generally be hard surfaced
Divide parking lots with more than 100 spaces
Provide a direct and clearly defined pedestrian pathway from adjacent public sidewalk to building entrance (160.556)

Service Functions: Screened or hidden from view (160.485)

Fence: No more than 8 ft in height except in front yard (160.480 et al.)

Lighting: Within 150 ft of residential areas, lights shall be no more than 28 ft high (160.491)

Alternative Site Plans: Allowed for buffer yard reduction, landscaping alternatives, parking reduction, and signage master plan (160.594)

Zoning Form: WM3—Warehouse and Manufacturing—Mining and Waste (160.340 et al.)

Allowed Zoning Districts (AG, I-2)


Principal Use: (160.342)	Conditional Use: Sanitary Landfill Water and Wastewater Treatment Plant Quarry, Mining, and Mineral Exploration	Accessory Use: (160.343)	Any building or use that's subordinate to any principal use.
------------------------------------	---	------------------------------------	--

Scroll to the top to find more information in the Zoning Interface.

Bulk Regulations

See 160.344 for all bulk regulations
 See 160.505 et al. "Additional Yard Regulations" for more info

Front Yard:	25 ft
Side Yard:	0 ft
Rear Yard:	0 ft
Height:	55 ft
Bulk:	No limit
Lot Width:	N/A



Other Applicable Regulations (For complete information, see §§ 160.460 to 160.603)

Buffer Yard: 45 ft total adjacent to DD1, DD2, DD3, and DD4
 45 ft total adjacent to DD5, DD6, DD7, AD1, AD2, AD3, AD4, and Greenway
 30 ft total adjacent to MD1 and MD2 (160.488)

Buffer Reduction: 10 ft reduction when parking adjacent (160.488)

Signage: Building—1 sq ft/2 lineal ft of building frontage
 Freestanding—40 sq ft and 6 ft in height to 100 ft of frontage 60 sq ft above that (160.570 et al.)

Parking: 1 per 1,500 sq ft of GFA (160.550)

Landscaping: 90% of required front yard setback (160.485 et al.)

Parking Lot Landscaping: 1 tree per 18 parking spaces (160.485)

Parking Lot Design: 8.5 ft minimum stall width; 7.5 ft for compact cars
 Parking lot layout and dimensions approved per Engineering Design Standards
 Parking lots shall generally be hard surfaced
 Divide parking lots with more than 100 spaces
 Provide a direct and clearly defined pedestrian pathway from adjacent public sidewalk to building entrance (160.556)

Service Functions: Screened or hidden from view (160.485)

Fence: No more than 8 ft in height except in front yard (160.480 et al.)

Lighting: Within 150 ft of residential areas, lights shall be no more than 28 ft high (160.491)

Alternative Site Plans: Allowed for buffer yard reduction, landscaping alternatives, parking reduction, and signage master plan (160.594)

Zoning Form: WM4—Airport Facilities (160.350 et al.)

Allowed Zoning Districts (AP)

Principal Use: **Permitted:**
(160.352) Airport Facilities • Air Passenger Terminal
Air National Guard Facilities

Accessory Use:
(160.353) Any building or use that's subordinate to any principal use.

Scroll to the top to find more information in the Zoning Interface.

Bulk Regulations

All based upon Airport Authority Master Plan review

Front Yard: N/A
Side Yard: N/A
Rear Yard: N/A
Height: N/A
Bulk: No limit
Lot Width: N/A



Other Applicable Regulations (For complete information, see §§ 160.460 to 160.603)

Buffer Yard: N/A—based on airport master plan
Signage: N/A—based on airport master plan
Parking: N/A—based on airport master plan
Landscaping: N/A—based on airport master plan
Parking Lot Landscaping: N/A—based on airport master plan
Service Functions: N/A—based on airport master plan
Fence: N/A—based on airport master plan

Zoning Form: OPEN1—Conservation Open Space (160.360 et al.)

Allowed Zoning Districts (CN)

Principal Use: (160.362)
Permitted: Tree Farm/Wholesale Nurseries • Golf Course
 Cemeteries • Nature Preserve • Natural Drainage Facilities
Permitted Special:
 Pet Cemetery

Accessory Use: (160.363)
Permitted Special: Crematory and Funeral Establishment (Accessory to a Cemetery)
 Off-Site Parking



Scroll to the top to find more information in the Zoning Interface.

Bulk Regulations

See 160.364 for all bulk regulations

See 160.505 et al. "Additional Yard Regulations" for more info

Front Yard: 15 ft
Side Yard: 15 ft
Rear Yard: 15 ft
Height: 45 ft
Bulk: No limit
Lot Width: N/A



Other Applicable Regulations (For complete information, see §§ 160.460 to 160.603)

Buffer Yard: None

Signage: Building—1 sq ft/2 lineal ft of building frontage
 Freestanding—40 sq ft and 6 ft in height to 100 ft of frontage 60 sq ft above that (160.570 et al.)

Parking: 1 space for each 300 sq ft of floor area (160.550)

Landscaping: 90% of required front yard setback (160.485 et al.)

Parking Lot Landscaping: 1 tree per 18 parking spaces (160.485)

Parking Lot Design: 8.5 ft minimum stall width; 7.5 ft for compact cars
 Parking lot layout and dimensions approved per Engineering Design Standards
 Parking lots shall generally be hard surfaced
 Divide parking lots with more than 100 spaces
 Provide a direct and clearly defined pedestrian pathway from adjacent public sidewalk to building entrance (160.556)

Service Functions: Screened or hidden from view (160.485)

Fence: No more than 8 ft in height except in front yard (160.480 et al.)

Lighting: Within 150 ft of residential areas, lights shall be no more than 28 ft high (160.491)

Alternative Site Plans: Allowed for buffer yard reduction, landscaping alternatives, parking reduction, and signage master plan (160.594)

Zoning Form: OPEN2—Recreation Open Space (160.370 et al.)

Allowed Zoning Districts (REC)

Principal Use: **Permitted:**
(160.372) Public Parks • Cultural Facilities • Golf Course
Recreation Facility—Public

Accessory Use: **Permitted Special:**
(160.373) Accessory Alcohol

Conditional Use:
Archery Range
1. Noise from such operation shall not have a detrimental effect on adjacent properties
2. Ensure safety through limited public access provisions


Scroll to the top to find more information in the Zoning Interface.

Bulk Regulations

See 160.374 for all bulk regulations

See 160.505 et al. "Additional Yard Regulations" for more info

Front Yard: 15 ft
Side Yard: 15 ft
Rear Yard: 15 ft
Height: 45 ft
Bulk: No limit
Lot Width: N/A



Other Applicable Regulations (For complete information, see §§ 160.460 to 160.603)

Buffer Yard: None

Signage: Building—1 sq ft/2 lineal ft of building frontage
Freestanding—40 sq ft and 6 ft in height to 100 ft of frontage 60 sq ft above that (160.570 et al.)

Parking: 1 space for each 300 sq ft of floor area (160.550)

Landscaping: 90% of required front yard setback (160.485 et al.)

Parking Lot Landscaping: 1 tree per 18 parking spaces (160.485)

Parking Lot Design: 8.5 ft minimum stall width; 7.5 ft for compact cars
Parking lot layout and dimensions approved per 15.55.070
Parking lots shall generally be hard surfaced
Divide parking lots with more than 100 spaces
Provide a direct and clearly defined pedestrian pathway from adjacent public sidewalk to building entrance (160.556)

Service Functions: Screened or hidden from view (160.485)

Fence: No more than 8 ft in height except in front yard (160.480 et al.)

Lighting: Within 150 ft of residential areas, lights shall be no more than 28 ft high (160.491)

Alternative Site Plans: Allowed for buffer yard reduction, landscaping alternatives, parking reduction, and signage master plan (160.594)

Alternative Site Plans: Allowed for buffer yard reduction, landscaping alternatives, parking reduction, signage master plan, and size bonus for LEED certification (160.594)

Zoning Form: OPEN3—Agriculture Open Space (160.380)

Allowed Zoning Districts (AG)

<p>Principal Use: (160.382)</p> <p>Permitted: Agriculture</p> <p>Permitted Special: Detached dwelling farm</p>	<p>Accessory Use: (160.383) Any building or use that's subordinate to any principal use</p>
---	--



Scroll to the top to find more information in the Zoning Interface.

Bulk Regulations

See [160.384](#) for all bulk regulations

See [160.505](#) et al. "Additional Yard Regulations" for more info

Front Yard:	30 ft
Side Yard:	25 ft
Rear Yard:	30 ft
Height:	45 ft
Lot Width:	N/A
Lot Density:	1 acre



Other Applicable Regulations (For complete information, see §§ 160.460 to 160.603)

Buffer Yard: None

Signage: Building—1 sq ft/2 lineal ft of building frontage
Freestanding—40 sq ft and 6 ft in height to 100 ft of frontage 60 sq ft above that ([160.570](#) et al.)

Parking: 1 space for each 300 sq ft of floor area ([160.550](#))

Landscaping: 90% of required front yard setback ([160.485](#) et al.)

Parking Lot Landscaping: 1 tree per 18 parking spaces ([160.485](#))

Parking Lot Design: 8.5 ft minimum stall width; 7.5 ft for compact cars
Parking lot layout and dimensions approved per Engineering Design Standards
Parking lots shall generally be hard surfaced
Divide parking lots with more than 100 spaces
Provide a direct and clearly defined pedestrian pathway from adjacent public sidewalk to building entrance ([160.556](#))

Service Functions: Screened or hidden from view ([160.485](#))

Fence: No more than 8 ft in height except in front yard ([160.480](#) et al.)

Lighting: Within 150 ft of residential areas, lights shall be no more than 28 ft high ([160.491](#))

Alternative Site Plans: Allowed for buffer yard reduction, landscaping alternatives, parking reduction, and signage master plan ([160.594](#))

Zoning Form: UT1—Basic Utilities (160.390 et al.)

Allowed Zoning Districts (All Districts except RHP)

Principal Use: (160.392)	Permitted: Neighborhood Utilities • Electrical Substation	Accessory Use: (160.393)	Any building or use that's subordinate to any principal use
	Permitted Special: Community Garden • Antenna Support Structure		


Scroll to the top to find more information in the Zoning Interface.

Bulk Regulations

See 160.394 for all bulk regulations

See 160.505 et al. "Additional Yard Regulations" for more info

Front Yard:	25 ft
Side Yard:	5 ft
Rear Yard:	5 ft
Height:	45 ft
Lot Width:	N/A



Other Applicable Regulations (For complete information, see §§ 160.460 to 160.603)

Buffer Yard: 30 ft total adjacent to DD1, DD2, DD3, and DD4
15 ft total adjacent to DD5, DD6, DD7, AD1, AD2, AD3, AD4, and Greenway
10 ft total adjacent to MD1 and MD2 (160.488)

Buffer Reduction: 10 ft reduction when parking adjacent (160.488)

Signage: Building—1 sq ft/2 lineal ft of building frontage
Freestanding—40 sq ft and 6 ft in height to 100 ft of frontage 60 sq ft above that (160.570 et al.)

Parking: 1 space per 1,500 per sq ft of floor area (160.550)

Landscaping: 90% of required front yard setback (160.485 et al.)

Parking Lot Landscaping: 1 tree per 18 parking spaces (160.485)

Parking Lot Design: 8.5 ft minimum stall width; 7.5 ft for compact cars
Parking lot layout and dimensions approved per Engineering Design Standards
Parking lots shall generally be hard surfaced
Divide parking lots with more than 100 spaces
Provide a direct and clearly defined pedestrian pathway from adjacent public sidewalk to building entrance (160.556)

Service Functions: Screened or hidden from view (160.485)

Fence: No more than 8 ft in height except in front yard (160.480 et al.)

Lighting: Within 150 ft of residential areas, lights shall be no more than 28 ft high (160.491)

Alternative Site Plans: Allowed for buffer yard reduction, landscaping alternatives, parking reduction, signage master plan, and size bonus for LEED certification (160.594)

Zoning Form: UT2—Tower Utilities (160.400 et al.)

Allowed Zoning Districts (All Districts except RS, RT-1, RD-1, RD-2, RT-2, MH, RCD, RHP, and AP)

<p>Principal Use: Permitted: (160.402) Water Towers</p> <p>Permitted Special: Telecommunications Tower</p> <p>Conditional Use: Broadcast Tower • Wind Energy Conversion System</p>	<p>Accessory Use: (160.403) Any building or use that's subordinate to any principal use</p>
---	--



Scroll to the top to find more information in the Zoning Interface.

Bulk Regulations

See 160.404 for all bulk regulations

See 160.505 et al. "Additional Yard Regulations" for more info

Front Yard:	25 ft
Side Yard:	5 ft
Rear Yard:	5 ft
Height:	Dependent on fall-down distance and FAA Standards



Other Applicable Regulations (For complete information, see §§ 160.460 to 160.603)

Buffer Yard: 30 ft total adjacent to DD1, DD2, DD3, and DD4
15 ft total adjacent to DD5, DD6, DD7, AD1, AD2, AD3, AD4, and Greenway
10 ft total adjacent to MD1 and MD2 (160.488)

Buffer Reduction: 10 ft reduction when parking adjacent (160.488)

Signage: Building—1 sq ft/2 lineal ft of building frontage
Freestanding—40 sq ft and 6 ft in height to 100 ft of frontage 60 sq ft above that (160.570 et al.)

Parking: 1 space per 1,500 per sq ft of floor area (160.550)

Landscaping: 90% of required front yard setback (160.485 et al.)

Parking Lot Landscaping: 1 tree per 18 parking spaces (160.485)

Parking Lot Design: 8.5 ft minimum stall width; 7.5 ft for compact cars
Parking lot layout and dimensions approved per Engineering Design Standards
Parking lots shall generally be hard surfaced
Divide parking lots with more than 100 spaces
Provide a direct and clearly defined pedestrian pathway from adjacent public sidewalk to building entrance (160.556)

Service Functions: Screened or hidden from view (160.485)

Fence: No more than 8 ft in height except in front yard (160.480 et al.)

Lighting: Within 150 ft of residential areas, lights shall be no more than 28 ft high (160.491)

Alternative Site Plans: Allowed for buffer yard reduction, landscaping alternatives, parking reduction, and signage master plan (160.594)