

1st Reading: \_\_\_\_\_  
 2nd Reading: \_\_\_\_\_  
 Date Adopted: \_\_\_\_\_  
 Date Published: \_\_\_\_\_  
 Effective Date: \_\_\_\_\_

ORDINANCE NO. \_\_\_\_\_

AN ORDINANCE OF THE CITY OF SIOUX FALLS, SD, AMENDING THE CODE OF ORDINANCES OF THE CITY BY UPDATING THE NIGHT WATCH FLOOD SERVICE RATE TO SECTION 51.032 OF CHAPTER 51: ELECTRICITY.

BE IT ORDAINED BY THE CITY OF SIOUX FALLS, SD:

*Section 1. That Section 51.032 of the Code of Ordinances of Sioux Falls, SD, is hereby amended to read:*

**§ 51.032 NIGHT WATCH FLOOD SERVICE RATE.**

The night watch flood service rate for electrical service shall be as follows.

- (a) *Designation.* NWF.
- (b) *Applicable.* For any customer for illumination of private property.
- (c) *Rate.*

<i>Lamp Size in Watts</i>	<i>Monthly Charge</i>
	<i>High Pressure Sodium</i>
100	<i>\$9.00 effective January 1, 2017, through December 31, 2017</i>
	<i>\$9.45 effective January 1, 2018, through December 31, 2018</i>
	<i>\$9.83 effective January 1, 2019</i>
250	<i>\$15.74 effective January 1, 2017, through December 31, 2017</i>
	<i>\$16.53 effective January 1, 2018, through December 31, 2018</i>
	<i>\$17.19 effective January 1, 2019</i>
400	<i>\$26.99 effective January 1, 2017, through December 31, 2017</i>
	<i>\$28.34 effective January 1, 2018, through December 31, 2018</i>
	<i>\$29.47 effective January 1, 2019</i>

	<u>Monthly Charge</u>				
<u>Lamp Size</u>	<u>2023</u>	<u>Effective January 1, 2024</u>	<u>Effective January 1, 2025</u>	<u>Effective January 1, 2026</u>	<u>Effective January 1, 2027</u>
<u>High Pressure Sodium (HPS)</u>					
<u>100 Watts</u>	<u>\$9.83</u>	<u>\$10</u>	<u>\$11</u>	<u>\$11</u>	<u>\$11</u>
<u>250 Watts</u>	<u>\$17.19</u>	<u>\$18</u>	<u>\$19</u>	<u>\$19</u>	<u>\$20</u>
<u>400 Watts</u>	<u>\$29.47</u>	<u>\$31</u>	<u>\$32</u>	<u>\$33</u>	<u>\$34</u>
<u>Light-emitting diode (LED)</u>					
<u>4,000 to 16,000 Lumens</u>	<u>\$13.05</u>	<u>\$14</u>	<u>\$14</u>	<u>\$15</u>	<u>\$15</u>
<u>17,000 to 26,000 Lumens</u>	<u>\$19.94</u>	<u>\$21</u>	<u>\$22</u>	<u>\$22</u>	<u>\$23</u>

(1) The monthly charges are based on mounting the high pressure sodium light on a suitable existing pole and the furnishing of up to 100 feet of service wire.

(2) Where a new pole must be installed, the customer shall make arrangements with the utilities department for payment of the additional facilities and labor costs incurred in the installation.

Date adopted: \_\_\_\_\_.

\_\_\_\_\_  
Paul TenHaken, Mayor

ATTEST:

\_\_\_\_\_  
James David, Acting City Clerk